





aster

PHASE 5 Preliminary Plan LOT INFORMATION PLAN

BLOCK

39 ^{L08} 108 11.801

22' 22'

6.15 26.

88.58

27

08.27

26

7

g

26.15

26

26'

22' 22 26.15 26.15

1

37 8

č

22' 22'

4 1

108.2

17 AVENUE NW

36

8 8

26.15

35

22' 22'

22

34

26

65.35

44

22'

22

22'

24

22'

Δ

45

46

101.71

48

8 47

⊗

43

26.15 26.15 26.15

42 41 40

04.63

22' 22'

NOTES

劎

Ó

V

G

Transformer

Fire hydrant

Utility vault

Bus stop

Power cabinet

Garage location

- 1. All information shown on this plan is deemed accurate to the date shown Landscape shown as conceptual only.
- 2. Location of street furniture and shallow utilities subject to change. Qualico will not relocate conflicts. 3.
- Bungalows and 2 Storey require window wells. 4.
- Surveyors Building pocket supersedes marketing map. 5 Retaining walls, if required, installed at purchaser's cost.
- A 2.7 m Utility Right of Way is located in front all lots. 6.
- Design and connection to foundation drain/storm service to be in accordance with the City of Edmonton Foundation Drain Discharge Collect System Guideline, and is the responsibility of the home builder. 8. A 1.5 metre Zero Lot Line Maintenance/ Drainage Easement is located on
- lots 48 60 block 1, lots 1 and 15 block 6 and lots 37-58 block 7.
- 9. Roof leaders and sump pump connection to storm service is requiied on lots 48 - 60 block 1, lots 1 and 15 block 6 and lots 37-58 block 7.

Preliminary Plan. This is prepared as a conceptual plan only and all elements are subject to change without notification and should not be relied upon. Please refer to the registered subdivision plan and approved engineering



WE CREATE WHAT WE Believe in QUALIC

communities

- Single Family Home with lane access & 20' house width in feet
- Duplex Style Home with front driveway 22' 22' location & house width in feet
 - 1.5 m Zero lot line maintenance/ drainage easement
 - Berm/fence restrictive covenant (RC)
- Disturbed soil RC 8 Noise attenuation fence Screen fence

(see note 9)

Approximate tree locations

Step down screen fence

17 AVENUE N.W. LEGEND 36' 13 20' 28 n Street light 14.8 112.24 22' 22' Transformer 27 14 36' Fire hydrant 22' 2 10.07 Ó 22' 114.83 26 Δ 109.45 V Utility vault 109.12 28 33 22' 15 22' 3 24' Power cabinet 25 108.23 114.83 08.23 108.27 22' 4 Bus stop 24' 32 28' 4 4 24 16 08.27 36 Single Family Home with 108.2 24 108.27 22' 114.83 5 4 front garage location & 26' 23 31 28' house width in feet 08.27 28 17 08.2 24' 108.27 4 4 22' 4 ≥ N.N 6 4 λ 22 114.83 Zero Lot Line Single 30 08.27 V V Family Home with front 108.2 z 28' 22' 24' 24' S 4 U U 7 18 A 21 garage location & house 108.23 ¥ 0 36' C REET REET U width in feet 4 08.2 108.27 114.83 28' 29 24' 24' 4 00 8 0 8 V A 20 Duplex Style Home with 08.2 28' 19 В 08.2 front garage location & 0 108.27 24 22' 22' 4 24' 4 ST 114.83 9 28 ST ٨ 19 BL house width in feet 28' 9 08.27 108.27 08.2 22' 22' 20 1.5 m Zero lot line 4 12 4 4 M 10 18 36' 28' 27 maintenance/drainage 14.83 08.27 108.27 22' 4 24' easement 08.27 11 from 17 Δ 28 21 Storm service required 108.27 26 Δ 108.27 28' 22 4 24' offset 114.83 4 (see note 9) 12 16 108.2 22 09.12 Chain link fence 26' 108.27 28' 25 24' 4 36' 15 13 114.83 Step down screen fence 101.71 08.2 22' 4 28 23 Approximate tree 16A AVENUE N.W. 14 28' 24 114.83 locations SIT 117.58 28' 24 **EUTURE PARK & SCHOOL** 36 14 83 23 28' 28 ń 28 28 22 28 36 08.27 21 25 28 20 26 EXISTING 80 26' R 19 40 14.83 18 4 RESIDENTIAL 17 28 26 8 08.3 16 2 BI 114.83 30 3 C 15 3 58 5 24' 27 22 36' 22 8 22 14.83 0 Δ 22 10 22 2 28' 28 Δ 22 8 12 Δ 22 13 9 22 14.83 14 22 16 AVENUE N.W. 22 22 29 Δ 22 36' Δ 22' aster 114.83 28' 30 114.83 28' 31 114.83 28' N PHASE 6 NORTH 32 Preliminary Plan 114.83 × Revised April 3, 2023 U 28' õ LOT INFORMATION PLAN 33 liveinaster.com B 114.83 NOTES 28' 34 I. All information shown on this plan is deemed accurate to the date shown. Landscape shown as conceptual only. 2. Location of street furniture and shallow utilities subject to change. Qualico will not relocate conflicts. 14.83 3. Bungalows and 2 Storey require window wells. 26' Surveyors - Building pocket supersedes marketing map. 4. 35 5 Retaining walls, if required, installed at purchaser's cost. A 2.7 m Utility Right of Way is located in front all lots. Design and connection to foundation drain/storm service to be in accordance with the City of Edmonton Foundation Drain 6 7. 28 36 Discharge Collect System Guideline, and is the responsibility of the home builder. 5 8 A 1.5 metre Zero Lot Line Maintenance/ Drainage Easement is located on lots 1 - 12 and 15 - 28 block 14. 26' Roof leaders and sump pump connection to storm service is required on lots 1 - 28 block 14 and lots 1 - 14 block 4. 9 37 Preliminary Plan. This is prepared as a conceptual plan .83 WE CREATE WHAT WE only and all elements are subject to change without QUALICO 26' notification and should not be relied upon. Please refer 38 to the registered subdivision plan and approved communities engineering drawings to confirm all information. Dimensions are in feet and rounded.



LEGEND

¢

Ó

V

G

^

1	Street light	2
Ŕ.	Transformer	
	Fire hydrant	2
C I	Utility vault	-
ê.	Power cabinet	2
	Bus stop	22
]	Garage location	~~
	Storm service required (see note 9)	4
	Screen fence	3
-	Step down screen fence	Prel

Swale in easement

Single Family Home with front garage 6' location & house width in feet

- Zero Lot Line Single Family Home with front garage location & house width in feet
- Zero Lot Line Single Family Home with lane access & house width in feet
- Duplex Style Home with front garage 22 location & house width in feet
- 1.5 m Zero lot line maintenance/drainage easement
- Freeboard Restrictive Covenant
- P Approximate tree locations

iminary Plan. This is prepared as a conceptual plan only and all elements are subject to change without notification and should not be relied upon. Please refer to the registered subdivision plan and approved engineering drawings to confirm all information. Dimensions are in feet and rounded.

liveinaster.com

NOTES:

1. All information shown on this plan is deemed accurate to the date shown. Landscape shown as conceptual only.

- 2. Location of street furniture and shallow utilities subject to change. Qualico will not relocate conflicts. Bungalows and 2 Storey require window wells. Surveyors - Building pocket supersedes marketing map.
- 3
- 4 5
- Retaining walls, if required, installed at purchaser's cost. 6 A 2.7 m Utility Right of Way is located in front all lots.
- Design and connection to foundation drain/storm service to be in accordance with the City of Edmonton Foundation Drain Discharge Collect System Guideline, and is the responsibility of the home builder.
- A 1.5 metre Zero Lot Line Maintenance/ Drainage Easement is located on lots 26 48 and 50 66 block 12 and lots 19 34 block 15.
- 9. Roof leaders and sump pump connection to storm service is required on lots 26 - 67 block 12, lots 19 - 35 block 15 and lots 1 - 14 block 16.
- 10. Freeboard Restrictive Covenant on lots 9 14 block 16. Minimum building opening elevation of 719.27 m.





Revised January 25, 2023



